

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|---|------------------|---------|------------------|
| L1 | 2 | 10/032450 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/02/01 14:33 |
| L2 | 4 | "2001173150" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/02/01 15:09 |
| L3 | 383 | (temperature NEAR (fiber NEAR optic\$2)) and ("374"/\$.ccls. or 372/34.ccls. or "219"/\$.ccls. or 606/12.ccls.) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/01 15:11 |
| L4 | 218 | (temperature NEAR (fiber NEAR optic\$2)) and ("374"/\$.ccls. or 372/34.ccls. or "219"/\$.ccls. or 606/12.ccls.) and (power) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/01 15:30 |
| L5 | 162 | (machin\$3 or (tool NEAR head)) and ("374"/\$.ccls. or 372/34.ccls. or "219"/\$.ccls. or 606/12.ccls.) and (laser NEAR diode) and (fiber NEAR optic\$2) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/01 15:33 |
| L6 | 149 | (machin\$3 or (tool NEAR head)) and ("374"/161.ccls. or 372/34.ccls. or "219"/\$.ccls. or 606/12.ccls.) and (laser NEAR diode) and (fiber NEAR optic\$2) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/01 15:47 |
| L7 | 0 | (machin\$3 NEAR (tool NEAR head)) and ("374"/161.ccls. or 372/34.ccls. or "219"/\$.ccls. or 606/12.ccls.) and (laser NEAR diode) and (fiber NEAR optic\$2) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/01 15:48 |
| L8 | 0 | (machin\$3 NEAR (tool NEAR head)) and ("374"/161.ccls. or 372/34.ccls. or "219"/\$.ccls. or 606/12.ccls.) and (laser NEAR diode) and ((fiber NEAR optic\$2) NEAR temperature) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/01 15:48 |
| L9 | 1 | (machin\$3 NEAR (tool or head)) and ("374"/161.ccls. or 372/34.ccls. or "219"/\$.ccls. or 606/12.ccls.) and (laser NEAR diode) and (fiber NEAR optic\$2) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/01 15:56 |

| | | | | | | |
|-----|-----|--|---|----|----|------------------|
| L10 | 0 | (machin\$3 NEAR (tool or head)) and ("374"/161.ccls. or 372/34.ccls. or "219"/\$.ccls. or "606"/\$.ccls.) and (laser NEAR diode) and ((fiber NEAR optic\$2) NEAR2 temperature) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/01 15:57 |
| L11 | 8 | (machin\$3) and ("374"/161.ccls. or 372/34.ccls. or "219"/\$.ccls. or "606"/\$.ccls.) and (laser NEAR diode) and ((fiber NEAR optic\$2) NEAR2 temperature) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/01 15:58 |
| L12 | 8 | (machin\$3) and ("374"/161.ccls. or 372/34.ccls. or "219"/\$.ccls. or "606"/\$.ccls.) and (laser NEAR diode) and ((fiber NEAR optic\$2) NEAR2 temperature) and (control\$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/01 16:09 |
| L13 | 3 | (machin\$3) and ("374"/161.ccls. or 372/34.ccls. or "219"/\$.ccls. or "606"/\$.ccls.) and (laser NEAR diode) and (fiber NEAR optic\$2) and (tip NEAR temperature) and (control\$3 NEAR (temperature or power)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/01 16:09 |
| L14 | 7 | ("374"/161.ccls. or 372/34.ccls. or "219"/\$.ccls. or "606"/\$.ccls.) and (laser NEAR diode) and (fiber NEAR optic\$2) and (tip NEAR temperature) and (control\$3 NEAR (temperature or power)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/01 16:11 |
| L15 | 157 | ("606"/\$.ccls.) and (laser NEAR diode) and (fiber NEAR optic\$2) and (control\$3 NEAR2 (temperature or power)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/01 16:11 |
| L16 | 159 | ("606"/\$.ccls.) and (laser NEAR diode) and (fiber NEAR optic\$2) and (control\$6 NEAR2 (temperature or power)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/01 16:16 |
| L17 | 88 | ("606"/\$.ccls.) and (laser NEAR diode) and (fiber NEAR optic\$2) and (control\$6 NEAR2 (temperature or power)) and tip | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/01 16:16 |
| L18 | 22 | ("606"/\$.ccls.) and (laser NEAR diode) and (tip NEAR2 (fiber NEAR optic\$2)) and (control\$6 NEAR2 (temperature or power)) and tip | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/01 16:41 |

| | | | | | | |
|-----|----|--|---|----|-----|------------------|
| L19 | 3 | ("606"/\$.ccls.) and (laser NEAR diode) and (tip NEAR2 (fiber NEAR optic\$2)) and (control\$6 NEAR2 (temperature or power)) and (temperature NEAR3 tip) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/01 16:21 |
| L20 | 2 | ("606"/10.ccls. or 606/11.ccls. or 606/12.ccls.) and (laser NEAR diode) and (tip NEAR2 (fiber NEAR optic\$2)) and (control\$6 NEAR2 (temperature or power)) and (temperature NEAR3 tip) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/01 16:22 |
| L21 | 5 | ("606"/10.ccls. or 606/11.ccls. or 606/12.ccls.) and (laser NEAR diode) and (tip) and (fiber NEAR optic\$2) and (control\$6 NEAR2 (temperature or power)) and (temperature NEAR3 tip) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/01 16:27 |
| L22 | 1 | "4627435".PN. | USPAT; USOCR | OR | OFF | 2005/02/01 16:22 |
| L23 | 1 | "4695697".PN. | USPAT; USOCR | OR | OFF | 2005/02/01 16:23 |
| L24 | 1 | "4852567".PN. | USPAT; USOCR | OR | OFF | 2005/02/01 16:24 |
| L25 | 1 | "4932934".PN. | USPAT; USOCR | OR | OFF | 2005/02/01 16:25 |
| L26 | 1 | "5196005".PN. | USPAT; USOCR | OR | OFF | 2005/02/01 16:26 |
| L27 | 2 | ("606"/10.ccls. or 606/11.ccls. or 606/12.ccls.) and (laser NEAR diode) and tip and (fiber NEAR optic\$2) and (control\$6 NEAR2 tip) and (temperature NEAR3 tip) and (power NEAR2 laser) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/01 16:29 |
| L28 | 4 | ("606"/10.ccls. or 606/11.ccls. or 606/12.ccls.) and (laser NEAR diode) and (fiber NEAR optic\$2) and (temperature NEAR3 tip) and (power NEAR2 laser) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/01 16:30 |
| L29 | 11 | ("606"/10.ccls. or 606/11.ccls. or 606/12.ccls.) and (fiber NEAR optic\$2) and (temperature NEAR3 tip) and (power NEAR2 laser) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/01 16:32 |
| L30 | 7 | ("606"/10.ccls. or 606/11.ccls. or 606/12.ccls.) and (fiber NEAR optic\$2) and (controller) and proportional and integral | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/01 16:33 |

| | | | | | | |
|-----|----|--|---|----|----|------------------|
| L31 | 17 | ("606"/\$.ccls.) and (laser NEAR diode) and (tip NEAR2 (fiber NEAR optic\$2)) and (control\$6 NEAR2 (temperature or power)) and tip and range | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/01 16:41 |
| L32 | 4 | ("606"/\$.ccls.) and (laser NEAR diode) and (tip NEAR2 (fiber NEAR optic\$2)) and (control\$6 NEAR2 (temperature or power)) and tip and (temperature NEAR range) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/02/01 16:42 |